Docket No.: 5-071US-FF

USH.024

AMENDMENTS TO THE CLAIMS:

2

1. (Currently Amended) A database system comprising:

a database in which data has been stored accessibly;

a search device for accessing the database in accordance with an applied search

command and searching data that has been stored in said database;

a command execution device, to which a command is entered, for applying a search

command to said search device in accordance with this entered command; and

a first interface for separably and directly connecting, without via a network, said

search device and said command execution device,

wherein said search device is replaceable by another search device upon

separation of said search device from said first interface, and

wherein upon replacement of said search device by said other search device,

said first interface separably and directly connects, without via a network, said other search

device and said command execution device. device;

a storage device for storing data readably;

a storage controller for accessing said storage device and reading data that has been

stored in said storage device or writing data to said storage device in accordance with an

applied read/write command; and

a second interface for separably connecting said storage controller and said command

execution device;

Docket No.: 5-071US-FF

USH.024

said command execution device applying a read/write command to said storage

3

controller in accordance with the entered command.

2.-5. (Canceled)

(Previously Presented) The system according to claim 11, wherein upon replacement 6.

of said storage controller by said second storage controller, said second interface separably

connects said second storage controller and said command execution device.

(Previously Presented) The system according to claim 1, wherein said search device 7.

employs a search technique different than a search technique of said other search device.

(Previously Presented) The system according to claim 1, further comprising a 8.

relational database management system containing attribute information corresponding to

said data, wherein said relational database management system is searchable by said search

device.

9. (Previously Presented) The system according to claim 1, further comprising a

command receiving device for receiving the entered command from a client.

(Previously Presented) The system according to claim 1, further comprising a 10.

command resending device for transmitting the entered command to another database server.

Docket No.: 5-071US-FF

USH.024

(Currently Amended) The system according to claim 2 1, wherein said storage 11.

controller is replaceable by a second storage controller upon separation from said command

4

execution device.

12. (Previously Presented) The system according to claim 11, wherein said second storage

controller is different than said storage controller.

13. (Currently Amended) The system according to claim 2 1, further comprising an

expression-format converter for generating data having a desired expression format when it is

determined that data having the desired expression format is not stored in the database.

14. (Previously Presented) The system according to claim 13, wherein said expression-

format converter is separably connected to said command execution device by said second

interface.

15. – 19. (Canceled)

20. (Previously Presented) A database system comprising:

a database in which data has been stored accessibly;

a search device for accessing the database in accordance with an applied search

Docket No.: 5-071US-FF

USH.024

command and searching data that has been stored in said database;

a command execution device, to which a command is entered, for applying a search

5

command to said search device in accordance with this entered command;

a first interface for separably and directly connecting, without via a network, said

search device and said command execution device;

a storage device for storing data readably;

a storage controller for accessing said storage device and reading data that has been

stored in said storage device or writing data to said storage device in accordance with an

applied read/write command; and

a second interface for separably connecting said storage controller and said command

execution device,

wherein said command execution device applies a read/write command to said storage

controller in accordance with the entered command,

wherein said search device is replaceable by another search device upon separation of

said search device from said first interface, and

wherein upon replacement of said search device by said other search device, said first

interface separably and directly connects, without via a network, said other search device and

said command execution device.

(Previously Presented) The system according to claim 20, wherein said search device 21.

employs a search technique different than a search technique of said other search device.

Docket No.: 5-071US-FF

USH.024

(Previously Presented) The system according to claim 20, further comprising a 22.

relational database management system containing attribute information corresponding to

6

said data, wherein said relational database management system is searchable by said search

device.

(Previously Presented) The system according to claim 20, further comprising a 23.

command receiving device for receiving the entered command from a client.

(Previously Presented) The system according to claim 20, further comprising a 24.

command resending device for transmitting the entered command to another database server.

(Previously Presented) The system according to claim 20, wherein said storage 25.

controller is replaceable by a second storage controller upon separation from said command

execution device.

(Previously Presented) The system according to claim 25, wherein said second 26.

storage controller is different than said storage controller.

Docket No.: 5-071US-FF

USH.024

(Previously Presented) The system according to claim 25, wherein upon replacement 27.

7

of said storage controller by said second storage controller, said second interface separably

connects said second storage controller and said command execution device.

(Currently Amended) A database system comprising: 28.

a database in which data has been stored accessibly;

search means for accessing the database in accordance with an applied search

command and searching data that has been stored in said database;

execution means, to which a command is entered, for applying a search command to

said search means in accordance with the entered command;

first interface means for separably and directly connecting, without via a network, said

search means and said execution means,

wherein said search means is replaceable by another search means upon

separation of said search means from said first interface means, and

wherein upon replacement of said search means by said other search means,

said first interface means separably and directly connects, without via a network, said other

search means and said execution means. means;

a storage device for storing data readably;

a storage controller for accessing said storage device and reading data that has been

stored in said storage device or writing data to said storage device in accordance with an

applied read/write command; and

Docket No.: 5-071US-FF

USH.024

second interface means for separably connecting said storage controller and said execution means;

8

said execution means applying a read/write command to said storage controller in accordance with the entered command.